

# A Report On Arginine

By Harry Elwardt, N.D., PhD.

**“... A few grams of prevention is worth a ton of cure.”<sup>1</sup>**



So just what is Nitric Oxide (NO)? Over 20,000 articles in the medical literature since 1980 attest that “absolutely everything in the body depends on it.” Its function in human physiology is so important that the American Academy of Science named Nitric Oxide the “Molecule of the year” in 1992. The Nobel Peace prize in Medicine was awarded to scientists who began the research on Nitric Oxide in 1998 and now NO has been referred to as “The Molecule of the Millennium”. Dr. Jonathan S. Stamler, a professor of medicine at Duke University Medical Center, put it best when he said of Nitric Oxide:

***“It does everything, everywhere. You cannot name a major cellular response or physiological effect in which [Nitric Oxide] is not implicated today. It’s involved in complex behavioral changes in the brain, airway relaxation, beating of the heart, dilation of blood vessels, regulation of intestinal movement, function of blood cells, the immune system, even how fingers and arms move.”***

There are three types of NO. Endothelial-derived NO diffuses out of endothelial cells (cells lining arteries and veins) and into smooth muscle cells of arteries enhancing relaxation and other properties of vascular physiology.

Endothelial-derived NO also functions in platelets (blood cells responsible for blood clots) to inhibit aggregation or blood clotting. Brain-derived NO affects several types of nerve cells and appears to be important in neurotransmitter pathways in both the central as well as peripheral nervous system and regulates the production and release of many hormones. Macrophage-derived NO is important in the immune system. This type of NO helps macrophages (a type of immune cell) kill bacteria and tumor cells. So, NO is important to the nervous system, the immune system and the vascular system, which supplies nutrients to all parts of the body. Arginine, when combined with Oxygen, forms NO. Arginine, as found in *Ark1*<sup>TM</sup> is **the** source of all forms of NO.<sup>2,3</sup>

NO decreases with age<sup>4,5,6</sup>, various age related conditions and many medications<sup>7,8</sup>.

Among the most common disease states to affect NO and therefore sexual function are:

- Diabetes
- Heart disease
- Hypertension (high blood pressure)
- Peripheral Vascular Disease
- Neurological Damage
- Peptic Ulcer
- Arthritis
- Allergy
- Low HDL

- Some of the most common drugs affecting NO and/or sexual functions are antidepressants – many common drugs like Elavil<sup>®</sup>, Prozac<sup>®</sup>, Paxil<sup>®</sup>, Zoloft<sup>®</sup>, etc.
- Anti-anxiety drugs, including Xanax<sup>®</sup> and Valium<sup>®</sup>
- Anti-psychotic drugs
- Blood Pressure medications
- Other Cardiac drugs, like lanoxin or other drugs that affect cardiac rhythm
- Anti-heartburn drugs like Tagamet<sup>®</sup> and Zantac<sup>®</sup>
- Opioids especially chronic use of legal (e.g., Lortab<sup>®</sup>, codeine, etc.) and illegal (e.g., heroin) narcotics and pain medicines
- Alcohol, especially chronic use
- Tobacco

The use of many of these drugs and the incidence of most of these disease conditions increase after the age of 40. Obviously it is also the age group most likely to benefit from the use of *Ark1*<sup>™</sup>, though any age group can benefit. The 40 and above age group is also the most likely age group (both men and women) to want to use *Ark1*<sup>™</sup> for the treatment of sexual dysfunction. In the genital tissue, NO triggers the release of c-GMP, which is a molecule that causes engorgement of this tissue. The arginine found in *Ark1*<sup>™</sup> releases NO to make sure there is plenty of c-GMP. Viagra, on the other hand, is a drug that blocks an enzyme to make sure there is plenty of c-GMP. Arginine has been shown to be a safe and effective alternative to Viagra<sup>®</sup>. Viagra<sup>®</sup> has been reported to be safe; however, the FDA public records suggest the opposite. These records reported that between April of 1998 and May of 1999 there were 1,473 adverse events including 255 serious heart rhythm disturbances, 53 episodes of congestive heart failure (weakened heart) 119 strokes, 517 heart attacks and 522 deaths.<sup>9</sup>

Every major disease process today is directly or indirectly related to lack of NO.

**Diabetes, Hypertension, Hyperlipidemia, Hypercholesterolemia, Cancer, Peripheral Vascular Disease, Coronary Artery Disease, Sickle Cell, Scleroderma, Renal Failure, Pulmonary Hypertension and Atherosclerosis** are all associated with decreased levels of NO. (With the exception of cancer, where NO functions in the immune system, most of these disease processes involve the vascular system and endothelial derived NO).

The primary function of endothelial derived NO is vascular homeostasis, or balance. NO maintains vascular health by enhancing endothelial reactivity. The endothelium is the inner lining of the blood vessels and as long as the endothelium remains reactive, they are supple, pliable and flexible. They are able to respond appropriately to the various changes that occur in blood vessels in the course of normal and abnormal physiology, when NO decreases, the vessels become stiff and rigid.

This is called atherosclerosis or hardening of the arteries. When we develop atherosclerosis, the results are high blood pressure, heart attack and stroke and ultimately death. As long as we have plenty of NO, as can be supplied by the arginine in *Ark1*<sup>™</sup>, our blood pressure remains low and we have protection from many of the consequences of the aging process.

To date arginine has been shown in animal as well as human trials that it may be effective in the following:

- Decreasing and reversing atherosclerosis by decreasing intimal thickening and monocyte accumulation<sup>9,10,11,12,13,14</sup>
- Restore normal endothelial function in hypercholesterolemia<sup>14,15,16,17,18,19,20,21</sup>
- Reversing consequences of coronary artery disease<sup>22,23,24,25,26,27,28,29,30</sup>
- Decreasing cholesterol and triglycerides<sup>32</sup>
- Improves walking distance in peripheral vascular disease<sup>31,33,34,35,36</sup>
- Improves pain in interstitial cystitis<sup>37,38</sup>
- Prolonged administration of arginine reverses adverse effects of high blood pressure<sup>39,40,41,42</sup>
- Decreases high blood pressure<sup>43</sup>
- Decreases post operative infection and length of stay<sup>44</sup>
- Increases human growth hormone<sup>45,46,47,48,49,50,116</sup>
- Improves outcome after bypass surgery<sup>51</sup>
- Improves sexual function<sup>52</sup>
- Improves exercise tolerance<sup>53,54</sup>
- Improves renal function<sup>55,56,57,58,59,60</sup>
- Improves glucose uptake in muscle cells<sup>61</sup>
- Improves asthma<sup>61,62,63,64,65,66</sup>
- Improves cell mediated immunity<sup>67,68,69,70,71</sup>
- Improves pituitary responsiveness and modulates hormonal control<sup>72,73,74</sup>
- Improves muscle performance<sup>75</sup>
- Improves diabetes and reverses damage<sup>76,77,78,79</sup>
- May prevent diabetes<sup>78</sup>
- Reduces blood clots and strokes<sup>80,81,82</sup>
- Helps prevent restenosis after angioplasty and bypass<sup>83,84,85</sup>
- Helps prevent post surgical damage after intestinal manipulation<sup>86</sup>
- May improve irritable bowel syndrome<sup>87</sup>
- Improves osteoporosis<sup>88</sup>
- May improve prostate function<sup>89</sup>
- May give protection against size of heart attack<sup>90</sup>
- Helps protect in cardiac transplants<sup>91,92</sup>
- Improve scleroderma<sup>93</sup>
- Improve sickle cell disease<sup>94</sup>
- Prevent pre-eclampsia<sup>95</sup>
- Improves exercise capacity in pulmonary hypertension<sup>96,117,118</sup>
- Improves wound healing<sup>97,98,99</sup>
- Reduces ulcers<sup>101,102</sup>
- Improves peripheral vascular disease<sup>103,104</sup>
- Improves outcome in sepsis<sup>105</sup>
- Improves heart failure<sup>106</sup>
- Improves outcome of cancer treatment<sup>107,108</sup>
- Improve alzheimer's<sup>109,110,111,112</sup>
- Improves memory and cognitive functions<sup>113,114,115</sup>
- L-arginine has been shown to safe in the above studies as well as others<sup>100,116</sup>

To summarize, arginine by virtue of being a safe and natural Nitric Oxide donor can be an extremely significant factor in the treatment and reversal of most major diseases.

The impact of the arginine in *Ark1*<sup>TM</sup> on preventative healthcare and anti-aging is profound, not to mention that it is a safe and effective replacement for the Viagra<sup>®</sup> type drugs.

#### References

1. Fried R, Merrell WC. The Arginine Solution. New York, NY. Warner Books, 1999.
2. Coffee, C J: Metabolism. Madison, Ct: Fence Creek Publishing, 1998.pp388-389
3. Catt KJ: Molecular Mechanisms of Hormone Action. In Endocrinology and Metabolism, 3<sup>rd</sup> ed. Edited by Felig P, Baxter JD, Frohman LA. New York, NY: McGraw-Hill, 1995, pp 138-139
4. Gerhard M, et al. Aging progressively impairs endothelium-dependent vasodilation in forearm resistance vessels of humans. Hypertension 1996 Apr;27(4):849-53
5. Toprakci M, et al. Age-associated changes in nitric oxide metabolites, nitrite and nitrate. Int J Clin Lab Res 2000;30(2):83-5
6. Sakuma I, et al. Identification of arginine as a precursor of endothelium-derived relaxing factor. Proc Natl Acad Sci USA 1988 Nov;85(22):8664-7
7. Vallance P, Moncada S. Nitric Oxide—from mediator to medicines. J R Coll Physicians Lond 1994 May-Jun;28 (3): 209-219
8. Kam PC, Govender G. Nitric oxide: basic science and clinical applications. Anaesthesia 1994 Jun;49(6): 515-21
9. Sinha G. Viagra: ups and downs. Popular Science 2000 July: page 35
10. Boger RH, Bode-Boger SM, Kienke S, et al. Dietary L-arginine decreases myointimal cell proliferation and vascular monocyte accumulation in cholesterol-fed rabbits. Atherosclerosis 1998 Jan;136(1) 67-77
11. Cheng JW, Balwin SN. L-Arginine in the management of cardiovascular diseases. Ann Pharmacother 2001 Jun;35(6):755-64
12. Tentolouris C, Tousoulis D, et al. L-Arginine in coronary atherosclerosis. Int J Cardiol 2000 Sep 15;75(2-3):123-8
13. Wang B, Ho HV, et al. Regression of atherosclerosis. Circulation 1999;99(9):1236-41
14. Boger RH, Bode-Boger SM, et al. Dietary L-arginine reduces the progression of atherosclerosis in cholesterol fed rabbits: comparison with lovastatin. Circulation 1997; 96(4):1282-90
15. Schuschke DA, Miller FN, Lominadze DG, Feldhoff RC. L-arginine restores cholesterol-attenuated micro vascular responses in the rat cremaster. Int J Micricirc Clin Exp 1994 Jul-Aug;14(4): 204-11
16. Orlandi A, Marcellini M Spagnoli LG. Aging influences development and progression of earl aortic atherosclerosis lesions in cholesterol-fed rabbits. Arterioscler Thromb Vasac Biol 2000 Apr;20
17. Chong PH, Bachenheimer BS. Current, New and future treatments in dyslipidemia and atherosclerosis. Drugs 2000 Jul;60(1):55-93
18. Phivthong-ngam L, Bode-Boger SM, Boger RH, et al. Dietary L-arginine normalizes endothelial induced vascular contractions in cholesterol-fed rabbits. J Cardiovasc Pharmacol 1998 Aug;32(2): 300-7
19. Maxwell AJ, Anderson B Zapien MP, Cooke JP. Endothelial dysfunction in hypercholesterolemia is reversed by: nutritional product designed to enhance nitric oxide activity. Cardiovasc Drugs Ther 2000 Jun;14(3):309-16
20. Clarkson P, Adams MR, Powe AJ, et al. Oral L-arginine improves endothelial-dependent dilation in hypercholesterolemic young adults. J Clin Invest 1996 April; 97(8): 1989-94
21. Cooke JP, Dzau J, Creager A. Endothelial dysfunction in hypercholesterolemia is corrected by L-arginine. Basic Res Cardiol 1991; 86 Suppl 2: 173-81
22. Fraser GE. Diet and coronary heart disease: beyond dietary fats and low-density-lipoprotein cholesterol. Am J Clin Nutr 1994 May;59(5 Suppl) 1117s-1142s and atherosclerosis. Drugs 2000 Jul;60(1):55-93
23. Quyyumi AA. Does acute improvement of endothelial dysfunction in coronary artery disease improve myocardial ischemia? J Am Coll Cardiol 1998 Oct;32(4):904-11
24. Lerman A, Burnett JC Jr, Higano ST, et al. Long-term L-arginine supplementation improves small vessel coronary endothelial function in humans. Circulation 1998 Jun 2;97(21):1648-9
25. Ceremuzynski L, Chamiec T, Herbaczynska-Cedro K. Effect of supplemental oral L-arginine on exercise capacity in patients with stable angina pectoris. Am J Cardiol 1997 Aug 1; 80(3):331-3
26. Desrois M, Sciaky M, Lan C, et al. L-arginine during long-term ischemia: effects on cardiac function, energetic metabolism and endothelial damage. J Heart Lung Transplant 2000 April; 19(4): 367-76
27. Quyyumi AA, Dakak N, Dodati JG, et al. Effect of L-arginine on human coronary endothelium-dependent and physiologic vasodilation, J AM Coll Cardiol 1997 Nov 1; 30(5):1220-7
28. Egashira K, et al. Effects of L-arginine supplementation on endothelium-dependent coronary vasodilation in patients with angina pectoris and normal coronary arteriograms. Circulation 1996;94(2):130-4
29. Tentolouris C, et al. L-arginine in coronary atherosclerosis. Int J Cardiol 2000 Sep 15;75(2-3):123-8

30. Tretjakovs P, Kalnins U, Dabina I, et al. Plasma HDL-cholesterol has an effect on nitric oxide production and arachidonic production in the platelet membranes of coronary artery disease patients without LDL-hypercholesterolemia. *Med Sci Monitor* 2000 May- Jun;6(3):507-11
31. Bode-Boger SM, Boger RH, Galland A, Tsikas D, Frolich JC. L-arginine induced vasodilatation in healthy humans: pharmacokinetic-pharmacodynamic relationship. *Br J Clin Pharmacol* 1998 Nov; 46(5): 489-97
32. Khedara A, Kawai Y, Kayashita J, Kato N. Feeding rats the nitric oxide synthase inhibitor, L-N(omega) nitroarginine, elevates serum triglycerides and cholesterol and lowers hepatic fatty acid oxidation. *J Nutr* 1996 Oct;126(10):2563-7
33. Boger RH, Bode-Boger SM, Theil W, et al. Restoring vascular nitric oxide formation by L-arginine improves symptoms of intermittent claudication in patients with Peripheral arterial occlusive disease. *J Am Col Cardiol* 1998 Nov;32(5):1336-44
34. Maxwell AJ, Anderson BE, Cooke JP. Nutritional therapy for peripheral artery disease. *Vasc Med* 2000;5(1):11-19
35. Hiatt WR. New treatment options in intermittent claudication: the US experience. *Int J Clin Pract Suppl* 2001 Apr;(119):20-27
36. Creager MA. Medical management of peripheral artery disease. *Cardiol Rev* 2001 Jul-Aug;9(4):238-45
37. Korting GE, Smith SD, Wheeler MA, Weiss RM, Foster HE. A randomized double-blind study of oral L-arginine for treatment of interstitial cystitis. *J Urol* 1999 Feb; 161(2):558-65
38. Cartledge JJ, Davies AM, Eardley I. A randomized double-blind placebo-controlled crossover trial of the efficacy of L-arginine in the treatment of interstitial cystitis. *BJU Int* 2000 Mar; 85(4):421-6
39. Sasic D, Francishetti A, Frolich ED. Prolonged L-arginine on cardiovascular mass and myocardial hemodynamics and collagen in aged spontaneously hypertensive and normal rats. *Hypertension* 1999 Jan;33(1 Pt 2):451-5
40. Higashi Y, et al. Effects of L-arginine infusion on renal hemodynamics in patients with mild hypertension. *Hypertension* 1995;25(4):898-902
41. Hishikawa K, et al. Role of L-arginine-nitric oxide pathway in hypertension. *J Hypertens* 1993 Jun; 11(6):639-45
42. Dominiczak AF, Bohr DF. Nitric oxide and its putative role in hypertension. *Hypertension* 1995;25(6):1202-11
43. Nakaki T, et al. L-arginine induced hypotension. *Lancet* 1990 Oct 20; 336(8721):1016-7
44. Braga M, Gianotti L, Raedelli G, et al. Perioperative immunonutrition in patients undergoing cancer surgery: results of a randomized double-blind phase 3 trial. *Arch Surg* 1999 Apr;134(4):428-33
45. Ghigo E, Aimaretti G, Cornelli G, et al. Diagnosis of GH deficiency in adults. *Growth Hormone IGF Res* 1998 Feb;8 Suppl A:55-8
46. Wideman L, Weltman JY, Patrie JY, et al. Synergy of L-arginine and GHRP-2 stimulation of growth hormone in men and women: modulation by exercise. *Am J Physiol Regul Integr Comp Physiol* 2000 Oct;279(4):R1467-77
47. Gianotti L, Macario M, Lanfranco F, et al. Arginine counteracts the inhibitory effect of recombinant human insulin-like growth factor I on the somatotroph responsiveness to growth hormone-releasing hormone in humans. *J Clin Endocrinol Metab* 2000 Oct;85(10):3604-8
48. Mauras N, Walton P, Nicar M, et al. Growth hormone stimulation testing in both short and normal statured children. *Pediatr Res* 2000 Nov;48(5):579-80
49. Ghigo E, Arvat E, Gianotti L, et al. Hypothalamic growth hormone-insulin-like growth facto-1 axis across the human life span. *J Pediatr Endocrinol Metab* 2000;13 Suppl 6:1493-502
50. Korbonits M, Kaltsas G, Perry LA, et al. The growth hormone secretagogue hexarelin stimulates the hypothalamo-pituitary-adrenal axis via arginine vasopressin. *J Clin Endocrinol Metab* 1999 Jul;84(7):2489-95
51. Wallace AW, Ratcliffe MB, Galindez D, Kong JS. L-arginine infusion dilates coronary vasculature in patients undergoing coronary bypass surgery. *Anesthesiology* 1999 Jun;90(6):1577-8
52. Chen J, Wollman Y, Chernichovsky T, et al. Effect of high dose nitric oxide donor L-arginine in men with organic erectile dysfunction. *BJU Int* 1999 Feb;83(3):269-73
53. Kobayashi N, Nakamura M, Hiramori K. Effects of infusion of L-arginine on exercise-induced myocardial ischemic changes and capacity to exercise of patients with stable angina pectoris. *Coron Artery Dis* 1999 Jul;10(5):321-6
54. Bednarz B, Wolk R, Chamiec T, et al. Effects of oral L-arginine supplementation on exercised induced QT dispersion and exercise tolerance in stable angina pectoris. *Int J Cardiol* 2000 Sep 15; 75(2-3): 205-10
55. De Nicola L, Bellizzi V, Minutolo R, et al. Randomized, double-blind, placebo controlled study of arginine supplementation in chronic renal failure. *Kidney Int* 1999 Aug;56(2):674-84
56. Watanabe G, Tomiyama H, Doba N. Effects of oral L-arginine on renal function in patients with heart failure. *J Hypertens* 2000 Feb;18(2):229-34
57. Kelly BS, Alexander JW, Dreyer D, et al. Oral arginine improves blood pressure in renal transplant and hemodialysis patients. *J Parenter Enteral Nutr* 2001 Jul-Aug; 25(4): 194-202
58. Efron DT, Barbul A. Arginine and nutrition in renal disease. *J Ren Nutr* 1999 Jul;9(3):142-4
59. Reckelhoff JF, et al. Long-term dietary supplementation with L-arginine prevents age related reduction in renal function. *Am J Physiol* 1997 Jun; 272(6 Pt 2):1768-74
60. Reyes AA, Purkerson ML, Karl L, Klahr S. Dietary supplementation with L-arginine ameliorates the progression of renal disease in rats with subtotal nephrectomy. *Am J Kidney Dis* 1992 Aug; 20(2):454-5
61. Bradley SJ, Kingwell BA, McConell GK. Nitric oxide synthase inhibition reduces leg glucose uptake but not blood flow during dynamic exercise in humans. *Diabetes* 1999 Sep; 48(9):1815-21

62. De Gouw HW, Verbruggen MB, Twiss IM, Sterk PJ. Effect of oral L-arginine on airway hyper-responsiveness to histamine in asthma. *Thorax* 1999 Nov;54(11):1033-5
63. De Gouw HW, Marshall-Partridge SJ, et al. Role of nitric oxide in the airway response to exercise in healthy and asthmatic subjects. *J Appl Physiol* 2001 Feb;90(2):586-92
64. Boer J, et al. Role of L-arginine deficiency of nitric oxide and airway hyperreactivity after allergen-induced early asthmatic reaction in guinea-pigs. *Br J Pharmacol* 1999 Nov;128(5):1114-20
65. Blease K, Kunkel SL, Hogaboam CM. Acute inhibition of nitric oxide exacerbates airway hyperresponsiveness, eosinophilia and C-C chemokine generation in a murine model of fungal asthma. *Inflamm Res* 2000 Jun; 49(6):297-304
66. Du J, Cui D, Tian D. [ The role of nitric oxide in the pathogenesis of asthma.] [ Full text in Chinese] *Zhonghua Jie He He Hu Xi Za Zhi* 1997 Jun;20(3):153-6
67. Gionotti L, Braga M, Fortis C, et al. A prospective, randomized clinical trial on perioperative feeding with an arginine-, omega-3 fatty acid-, and RNA enriched enteral diet: effect on host response and nutritional status. *J Parenter Enteral Nutr* 1999 Nov- Dec;23(6):314-20
68. Efron D, Barbul A. Role of arginine in immunonutrition. *J Gastroenterol* 2000;35 Suppl 12:20-3
69. Lewis B, Langkamp-Henken B. Arginine enhances in vivo immune responses in young, adult and aged mice. *J Nutri* 2000;130(7):1827-30
70. Mannick JB, et al. Nitric oxide produced by human B lymphocytes inhibits apoptosis and Epstein-Barr virus reactivation. *Cell* 1994 Dec 30;79(7):1137-46
71. Ochoa JB, et al. Effects of L-arginine on the proliferation of T-lymphocyte subpopulations. *J Parenter Enteral Nutr* 2001 Jan- Feb;25(1):23-9
72. di Luigi L, Guidetti L, Pigozzi F, et al. Acute amino acid supplementation enhances pituitary responsiveness in athletes. *Med Sci Sports Exerc* 1999 Dec;31(12):1748-54
73. Lawecki J et al. Serum insulin, pancreatic glucagons and growth hormone levels in response to intravenous infusion of L-arginine in patients with recently detected juvenile diabetes. *Pol Med Sci Hist Bull* 1976 Apr-Jun;15(2):177-82
74. Valcenti S, et al Biphasic effect of nitric oxide on testosterone and cyclic GMP production by purified rat Leydig cells cultured in vivo. *Int J Androl* 1999 Oct; 22(5):336-41
75. Stevens BR, Godfrey MD, Kaminski TW, Braith RW. High intensity dynamic human muscle performance enhanced by a metabolic intervention. *Med Sci Sports Exerc* 2000 Dec;32(12):2102-8
76. Piatti PM, Monti LD, Valsecchi G, et al. Long term oral L-arginine administration improves peripheral and hepatic insulin sensitivity in type 2 diabetes. *Diabetes Care* 2001 MAY;24(5):875-80
77. Giugliana D, et al. Vascular effects of acute hyperglycemia are reversed by L-arginine. *Circulation* 1997; 95(7):1783-90
78. Mohan IK, Cas UN. Effects of L-arginine-nitric oxide system on chemical induced diabetes mellitus. *Free Radic Biol Med* 1998 Nov 1;25(7):757-65
79. Mendez JD, Balderas F. Regulation of hyperglycemia and dyslipidemia by exogenous L-arginine in Diabetic rats. *Biochemie* 2001 May;83(5):453-8
80. Kaposzta Z, et al. L-arginine and S-nitroglutathione reduce embolization in Humans. *Circulation* 2001;103(19):2371-75
81. Bode-Boger SM, Boger RH, et al. Differential inhibition of human platelet aggregation and thromboxane A 2 formation by L-arginine in vivo and in vitro. *Arch Pharmacol* 1998; 357:143-150
82. Wolf A, et al. Dietary L-arginine supplementation normalizes platelet aggregation in hypercholesterolemic humans. *J Am Coll Cardiol* 1997 Mar 1; 29(3):479
83. Le Yorneau T, Van Belle E, Corseaux D, et al . Role of nitric oxide in re-stenosis after experimental balloon angioplasty in the hypercholesterolemic rabbit. *J Am CollCardiol* 1999 Mar;33(3):876-82
84. Janero DR, Ewing JF. Nitric Oxide and Postangioplasty re-stenosis: Pathological correlates and therapeutic potential. *Free Radic Biol Med* 2000 Dec 15;29(12):1199-221
85. Severin P, et al. Local intramural delivery of l-arginine enhances nitric oxide generation and inhibits lesion formation after balloon angioplasty. *Circulation* 1997;95(7):1863-9
86. Thomas S, Ramachandran A, Patra S, et al. Nitric oxide protects the intestine from the damage induced by laparotomy and gut manipulation. *J Surg Res* 2001 Jul;99(1):25-32
87. Sahin AS, Atalik KE, Gunel E, Dogan N. Nonadrenergic, noncholinergic responses of the human colon smooth muscle and the role of K<sup>+</sup> channels in these responses. *Methods Find Exp Clin Pharmacol* 2001 Jan-Feb;23(1):13-7
88. Fini M, et al. Effect of l-lysine and L-arginine on primary osteoblast cultures from normal and osteopenic rats *Biomed Pharmacother* 2001 May;55(4):213-21
89. Aikawa K, Yokota T, et al. Endogenous nitric oxide-mediated relaxation and nitrinergic innervation in the rabbit prostate: the change with aging. *Prostate* 2001 Jun 15;48(1):40-6
90. Suematsu Y, Ohtsuka T, et al. L-Arginine given after ischemic preconditioning can enhance cardioprotection in isolated rat hearts. *Eur J Cardiothorac Surg* 2001, Jun;19(6):873-9

91. Koglin J. Pathogenetic mechanisms of cardiac allograft vasculopathy-impact of nitric oxide. *Z Kardiol* 2000;89 Suppl 9:IX/24-7
92. Kown MH, Van Der Steenhoven T, Uemura S, et al. L-Arginine polymer mediated inhibition of graft coronary artery disease after cardiac transplantation. *Transplantation* 2001 June 15;71(11):1542-8
93. Freedman RR, Girgis R, Mayers MD. Acute effect of nitric oxide on Raynaud's phenomenon in scleroderma. *Lancet* 1999 Aug 28;354:739
94. Morric CR, Kuypers FA, et al. Patterns of arginine and nitric oxide in patients with sickle cell disease with vaso-occlusive crisis and acute chest syndrome. *J Ped Hemat/Onc* 2000 Nov-Dec;22(6):515-20
95. Kumar CA, Das UN. Lipid peroxides, antioxidants and nitric oxide in patients with pre-eclampsia and essential hypertension. *Med Sci Monitor* 2000 Sep-Oct;6(5):901-7
96. Nagaya N, Uematsu M, et al. Short term oral administration of L-arginine improves hemodynamics and exercise capacity in patients with precapillary pulmonary hypertension. *Am J Resp Crit Care Med* 2001 April;163(4):887-91
97. Barbul A, et al. Arginine enhances wound healing and lymphocyte immune responses in humans. *Surgery* 1990 Aug;108(2):331-6; discussion 336-7
98. Kirk SJ, et al. Arginine stimulates wound healing and immune function in elderly humans. *Surgery* 1993 Aug;114(2):155-9; discussion 160
99. De-Souza DA, Greene LJ. Pharmacological nutrition after burn injury. *J of Nutri* 1998 May;128(5):797-803
100. Blum A, Cannon RO, Costello R, et al. Endocrine and lipid effects of oral L-arginine treatment in healthy postmenopausal women. *J Lab Clin Med* 2000 Mar;135(3):231-7
101. Ohta Y, Nishida K., Protective effect of L-arginine against stress-induced gastric mucosal lesions in rats and its relation to nitric acid-mediated inhibition of neutrophil infiltration. *Pharmacol Res* 2001 Jun;43(6):535-41
102. Khattab MM, Gad MZ, Abdallah D. Protective role of nitric oxide in indomethacin- induced gastric ulceration by a mechanism independent of gastric acid secretion. *Pharmacol Res* 2001 May;43(5):463-7
103. Calver A, Collier J, Vallance P. Dilator actions of arginine in human peripheral vasculature. *Clin Sci* 1991 Nov;81(5):695-700
104. Bode-Boger SM, Boger RH, et al. L-arginine induces nitric oxide-dependent vasodilation in patients with critical limb ischemia. A randomized, controlled study. *Circulation* 1996 Jan 1; 93(1):85-90
105. Vallet B. Microthrombosis in sepsis. *Minerva Anesthesiol* 2001 Apr;67(4):298-301.
106. Hambrecht R, et al. Correction of endothelial dysfunction in chronic heart failure: additional effects of exercise training and oral L-arginine supplementation. *J Am Coll Cardiol* 2000 Mar 1; 35(3):706-13
107. Heys SD, et al. Dietary supplementation with L-arginine: Modulation of tumor infiltrating lymphocytes in patients with colo-rectal cancer. *Br J Surg* 1997 Feb;84(2):238-41
108. Brittenden J, et al. Dietary supplementation with L-arginine in patients with breast cancer(> 4cm.) receiving multi-modality treatment: report of a feasibility study. *Br J Cancer* 1994 May;69(5):918-21
109. McCarty MF. Vascular nitric oxide, sex hormone replacement, and fish oil may help to prevent Alzheimer's disease by suppressing synthesis of acute-phase cytokines. *Med Hypotheses* 1999 Nov;53(3):369-74
110. Tarkowski E, et al. Intrathecal release of nitric oxide in Alzheimer's disease and vascular dementia. *Dement Geriatr Cogn Disord* 2000 Nov- Dec;11(6):322-6
111. de la Torre JC, Stefano GB. Evidence that Alzheimer's disease is a microvascular disorder: the role of constitutive nitric oxide. *Brain Res Brain Res Rev* 2000 Dec;34(3):119-36
112. Kuiper MA, et al. Decrease cerebrospinal fluid nitrate levels in Parkinson's disease, Alzheimer's disease and multiple system atrophy patients. *J Neurol Sci* 1994 Jan; 121(1):46-9
113. Pautler EL. The possible role and treatment of deficient microcirculation regulation in age-associated memory impairment. *Med Hypotheses* 1994 Jun;42(6):363-6
114. Pandhi P, Balakrishnan S. Cognitive dysfunction induced by phenytoin and valproate in rats: effect of nitric oxide. *Indian J Physiol Pharmacol* 1999 Jul; 43(3):378-82
115. Pendergast MA, et al. Nitric oxide synthase inhibition impairs delayed recall in mature monkeys. *Pharmacol Biochem Behav* 1997 Jan;56(1):81-7
116. Fideieff HL, et al. Reproducibility and safety of the arginine test in normal adults. *Medicina (B Aires)* 1999; 59(3):249-53
117. Fagan JM, et al. L-arginine reduces right heart hypertrophy in hypoxia-induced pulmonary hypertension. *Biochem Biophys Res Commun* 1999 Jan 8; 254(1):100-3
118. Nitric oxide and pulmonary hypertension. *Coron Artery Dis* 1999 Jul; 10(5):287-94